


- \*\*SUSPENDED\*\* ALLIANCE A011104** Effect of Preoperative Breast MRI on Surgical Outcomes, Costs and Quality of Life of Women with Breast Cancer (**Feig**)
- UCI 15-83** Monitoring and Predicting Breast Cancer Neoadjuvant Chemotherapy Response Using Diffuse Optical Spectroscopic Imaging in a Multi-Center Setting (**Tromberg**)
- UCI 10-39** Predicting Pathological Response within the First Week of Neoadjuvant Chemotherapy Using Functional Parameters Measured with Diffuse Optical Spectroscopic Imaging (DOSI) (**Tromberg**)
- UCI 11-15** Correlation of Clinical and MRI Findings with Prognosis of Breast Cancer Patients (**Su**)
- UCI 11-21** Analysis of Imaging Features of Breast Diseases and Breast Density Evaluated on Mammogram, Ultrasound & MRI Collected in a Database (**Su**)
- UCI 14-86** Predicting Neoadjuvant Chemotherapy Response by Using a Combined MRI and Scinti-Mammography (MRI-SMM) System (**Su**)
- UCI 14-85** Improving Diagnosis of Breast Cancer by Using a Combined MRI and Positron Emission Mammography (MRI-PEM) System (**Su**)
- UCI 16-23** Enabling a Paradigm Shift: A Preference-Tolerant RCT of Personalized vs. Annual Screening for Breast Cancer [The WISDOM Study (Women Informed to Screen Depending On Measures of Risk)] (**Anton-Culver**)

SCREENING / DIAGNOSTIC / EPIDEMIOLOGIC / INTERVENTIONAL

**BREAST CANCER**

CORRELATIVE / OBSERVATIONAL

- UCI 95-29** Measurement of Breast Tissue Optical Properties (**Tromberg**)
- UCI 10-24** ATHENA Breast Health Network (**Anton-Culver**)
- UCI 12-10** Development of a Quantitative Tissue Optical Index of Breast Density for Prediction of Hormone Therapy Response (**O'Sullivan**)
- UCI 13-19** Registry Study of Patients Treated with Neoadjuvant Chemotherapy Followed by Mastectomy in Stage I, II, III BREAST CANCER (**Daroui**)
- UCI 14-25** Plasma Exosome Concentration in Cancer Patients Undergoing Treatment (**Nelson**)
- UCI 14-62** Breast Tumor Oxygenation during Exercise (**Tromberg**)
- UCI 14-81** Mi Salud, Mi Vida: A Self-Discovery Tool for Latina Breast Cancer Survivors (**Sorkin**)
- UCI 15-64** A Registry Trial of Targeted Intraoperative Radiation Therapy Following Breast-Conserving Surgery (**Lin**)
- \*\*SUSPENDED\*\* UCI 16-01** Pathway Analyses for Individualized Network Therapeutics for Cancer (PAINT Cancer) (**Nelson**)



### Multiple Disease Sites

**UCI 17-50\*\*** A Multicenter, Phase 1/1b, Open-Label, Dose-Escalation Study of ABBV-399, an Antibody Drug Conjugate, in Subjects with Advanced Solid Tumors (**Ou**)

### Stage I-III

**UCI 14-67** A Phase II Study of Breast Cancer Treatment Using Weekly Carboplatin + Paclitaxel with Pertuzumab + Trastuzumab (HER2+) or Bevacizumab (HER2-) in the Neoadjuvant Setting (**Mehta**)

### HER2- High Risk

**SWOG S1207** Phase III Randomized, Placebo-Controlled Clinical Trial Evaluating the Use of Adjuvant Endocrine Therapy +/- One Year of Everolimus in Patients with High-Risk, Hormone Receptor-Positive and HER2/Neu Negative Breast Cancer (**Mehta**)

**SWOG S1418** Phase III Trial to Evaluate the Efficacy and Safety of MK-3475 as Adjuvant Therapy for Triple Receptor-Negative Breast Cancer with > 1 cm Residual Invasive Cancer or Positive Lymph Nodes (>pN1mic) After Neoadjuvant Chemotherapy (**Mehta**)

### Hormone+ High Risk

**ALLIANCE A011502** A Randomized Phase III Double Blinded Placebo Controlled Trial of Aspirin as Adjuvant Therapy for Node Positive HER2 Negative Breast Cancer: The ABC Trial (**Mehta**)

**NSABP B51** A Randomized Phase III Clinical Trial Evaluating Post-Mastectomy Chest wall and Regional Nodal XRT and Post-Lumpectomy Regional Nodal XRT in Patients with Positive Axillary Nodes Before Neoadjuvant Chemotherapy Who Convert to Pathologically Negative Axillary Nodes After Neoadjuvant Chemotherapy (**Daroui**)



## Metastatic

### Targeted therapy

**ECOG EAY131** Molecular Analysis for Therapy Choice (MATCH) (Bota)

**SWOG S1609** DART: Dual Anti-CTLA-4 and Anti-PD-1 Blockade in Rare Tumors (Bota)

**NRG BR002** A Phase IIR/III Trial of Standard of Care Therapy with or without Stereotactic Body Radiotherapy (SBRT) and/or Surgical Ablation for Newly Oligometastatic Breast Cancer (Daroui)

**UCI 16-74** A Phase 3 Open-Label, Randomized, Multicenter Study of NKTR-102 versus Treatment of Physician's Choice (TPC) in Patients with Metastatic Breast Cancer Who Have Stable Brain Metastases and Have Been Previously Treated with an Anthracycline, a Taxane, and Capecitabine (Carrillo)

**NSABP FB-10\*\*** A Phase Ib/II Dose-Escalation Study Evaluating the Combination of Trastuzumab Emtansine (T-DM1) with Neratinib in Women with Metastatic HER2-Positive Breast Cancer (Parajuli)

**UCI 17-79\*\*** Phase 1b/2 Study of SGN-LIV1A in Combination with Pembrolizumab for First-Line Treatment of Patients with Unresectable Locally Advanced or Metastatic Triple-Negative Breast Cancer (Parajuli)