

**UCI 16-19** ATLAS: A Randomized, Double-blind, Placebo-controlled Phase 3 Study of JNJ-56021927 in Subjects with High-risk, Localized or Locally Advanced Prostate Cancer Receiving Treatment with Primary Radiation Therapy (Uchio)

**UCI 17-50\*\***A Multicenter, Phase 1/1b, Open-Label, Dose-Escalation Study of ABBV-399, an Antibody Drug Conjugate, in Subjects with Advanced Solid Tumors (Ou)

Non-Metastatic



Metastatic

Both

**ECOG-EAY131** Molecular Analysis for Therapy Choice (MATCH) (Seery)

**SWOG S1609** DART: Dual Anti-CTLA-4 and Anti-PD-1 Blockade in Rare Tumors (Bota)

**UCI 16-96** A Phase 1 Study of the Highly-selective RET Inhibitor, BLU-667, in Patients with Thyroid Cancer, Non-Small Cell Lung Cancer (NSCLC) and Other Advanced Solid Tumors (Ou)

**UCI 17-48** HERO: A Multinational Phase 3 Randomized, Open-label, Parallel Group Study to Evaluate the Safety and Efficacy of Relugolix in Men with Advanced Prostate Cancer (Uchio)

**UCI 16-76** Phase Ib/II Trial of Pembrolizumab (MK-3475) Combination Therapies in Metastatic Castration-Resistant Prostate Cancer (mCRPC) (KEYNOTE-365) (Mar)

**UCI 16-90** A Phase III, Multicenter, Randomized Study Of Atezolizumab (Anti-PD-L1 Antibody) In Combination With Enzalutamide Versus Enzalutamide Alone In Patients With Metastatic Castration-Resistant Prostate Cancer After Failure Of An Androgen Synthesis Inhibitor And Failure Of, Ineligibility For, Or Refusal Of A Taxane Regimen (Mar)

**UCI 17-10** A Phase III, Randomized, Double-Blind, Placebo-Controlled, Multicenter Trial Testing Ipatasertib plus Abiraterone plus Prednisone/ Prednisolone, Relative to Placebo plus Abiraterone plus Prednisone/ Prednisolone in Adult Male Patients with Asymptomatic or Mildly Symptomatic, Previously Untreated, Metastatic Castrate-Resistant Prostate Cancer (Mar)


**UCI 17-25\*\*** A Phase 2, Open-Label, 2-Arm, Response Rate Study of Talazoparib in Men With DNA Repair Defects and Metastatic Castration-Resistant Prostate Cancer Who Previously Received Taxane-Based Chemotherapy and Progressed on at Least 1 Novel Hormonal Agent (Enzalutamide and/or Abiraterone Acetate/ Prednisone) (Uchio)

**UCI 17-41\*\*** A Multi-Center, Randomized, Assessor-Blind, Controlled Trial Comparing the Occurrence of Major Adverse Cardiovascular Events (MACEs) in Patients with Prostate Cancer and Cardiovascular Disease Receiving Degarelix (GnRH Receptor Antagonist) or Leuprolide (GnRH Receptor Agonist) (Uchio)

**UCI 17-86\*\*** Phase 1 Trial of Efficacy and Feasibility of Robot Assisted Salvage Pelvic Lymph Node Dissection (RS-PLND) or Robot Assisted Salvage Pelvic Mass Resection (RS-PMR) Post-Robot Assisted Radical Prostatectomy (Ahlering)


\*\*Opening soon

For more details contact  
1-877-UC-STUDY or [ucstudy@uci.edu](mailto:ucstudy@uci.edu)



\*\*Opening soon

For more details contact  
1-877-UC-STUDY or [ucstudy@uci.edu](mailto:ucstudy@uci.edu)



\*\*Opening soon

For more details contact  
1-877-UC-STUDY or ucstudy@uci.edu

**UCI 16-17\*\*** A Phase I/II, Open Label, Safety and Efficacy Trial of Intravesical CG0070 and CTLA 4 Blockade as a Neo-Adjuvant Regimen for Muscle Invasive Bladder Cancer ("MIBC") Patients Selected for Radical Cystectomy (Uchio)

Neo-Adjuvant



Correlative

**UCI 15-22** Electro-Phage and Colorimetric Aptamer Sensors for Clinical Staging and Monitoring of Bladder Cancer (Landman)

**UCI 16-68\*\*** A Phase III Randomized, Controlled Clinical Trial of Pembrolizumab with or without Platinum-Based Combination Chemotherapy versus Chemotherapy in Subjects with Advanced or Metastatic Urothelial Carcinoma (Uchio)

**UCI 15-77** A Phase II Clinical Trial to study the efficacy and safety of Pembrolizumab (MK-3475) in subjects with high risk non-muscle invasive bladder cancer (NMIBC) unresponsive to Bacillus Calmette-Guerin (BCG) therapy (Uchio)

**ECOG-EAY131** Molecular Analysis for Therapy Choice (MATCH) (Seery)

**UCI 16-96** A Phase 1 Study of the Highly-selective RET Inhibitor, BLU-667, in Patients with Thyroid Cancer, Non-Small Cell Lung Cancer (NSCLC) and Other Advanced Solid Tumors (Ou)

**SWOG S1609** DART: Dual Anti-CTLA-4 and Anti-PD-1 Blockade in Rare Tumors (Bota)

**UCI 17-42\*\*** A Randomized, Multicenter, Two-Arm, Single-Dose, Double-Blind, Placebo-CONTROLLED Phase 3 Study of Intravesical Qapzola™ (Apaziquone) as a Chemotherapy Adjuvant to TransUrEthral Resection of Bladder Tumors in Patients with Low- to Intermediate-Risk Non-Muscle Invasive Bladder Cancer (CONQUER) (Uchio)

**UCI 17-50\*\*** A Multicenter, Phase 1/1b, Open-Label, Dose-Escalation Study of ABBV-399, an Antibody Drug Conjugate, in Subjects with Advanced Solid Tumors (Ou)

**UCI 17-58\*\*** Phase 1-2 Study of the Safety, Pharmacokinetics, and Preliminary Activity of ASTX660 in Subjects with Advanced Solid Tumors and Lymphomas (Pinter-Brown)

**UCI 17-74\*\*** A Phase 3 randomized, Double-Blind Clinical Study of Pembrolizumab + Epacadostat vs Pembrolizumab + Placebo as a Treatment for Recurrent or Progressive Metastatic Urothelial Carcinoma in Patients who have Failed a First-Line Platinum-containing Chemotherapy Regimen for Advanced/Metastatic Disease (Uchio)

**UCI 17-75\*\*** A Phase 3 Randomized, Double-Blind Trial of Pembrolizumab (MK-3475) in Combination with Epacadostat (INCB024360) or Placebo in Participants with Cisplatin-ineligible Urothelial Carcinoma (KEYNOTE-672/ECHO-307) (Uchio)

Treatment

\*\*Opening soon

For more details contact  
1-877-UC-STUDY or ucstudy@uci.edu